

SECTION 1: PRODUCT IDENTIFIER AND IDENTIFY FOR THE CHEMICAL		
PRODUCT		
Product Identifier	Lima South Quarry Pty Ltd - Quarry Products	
Other Means of Identification	Aggregate 600mm – 7mm, Crushed Rock, Crusher Dust	
Recommended Use	Quarry products used in building construction and civil Engineering activities such as road building and rail ballast.	
DETAILS OF MANUFACTURER		
Manufacturers Name	Lima South Quarry Pty Ltd	
Manufacturers ABN	26 036 371 410	
Manufacturers Address	184 Williams Road, Lima South, Victoria, 3673	
Manufacturers Phone Number	(03) 5768 2366 (7.00am - 5.00pm Monday to Friday ONLY)	
Manufacturers Email	admin@lsquarry.com.au	
Manufacturers Website Address	www.lsquarry.com.au	
Emergency Phone Number	000 (available in Australia ONLY)	
Poisons Information Centre	13 11 26 (available in Australia ONLY)	

SECTION 2: HAZARD IDENTIFICATION

HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA.

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE AUSTRALIAN CODE FOR THE TRANSPORT OF DANGEROUS GOODS BY ROAD AND RAIL, 7^{TH} EDITION (ADG).

CLASSIFICATION OF THE HAZARDOUS CHEMICAL		
GHS Classifications	Skin Sensitization: Category 1	
	Specific Target Organ Systemic Toxicity (Repeated Exposure): Category 2	
LAREL EL EMENTO MOLURINO PREGAMENONARY CHATEMENTO		

Signal Word	WARNING	
Pictograms	<u>(!)</u>	
Hazard Statements	H317	May cause an allergic skin reaction.
	H373	May cause damage to organs (lungs) through prolonged or repeated exposure (inhalation).
Prevention	P260	Do not breathe dust.
Statements	P272	Contaminated work clothing should not be allowed out of the workplace.
	P280	Wear protective gloves. Manufacturer/supplier or the competent authority to specify type of equipment.
Response	P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
Statements	P313 + P333	If skin irritation or rash occurs: Get medical advice/attention.
	P314	Get medical advice/attention if you feel unwell.
	P363	Wash contaminated clothing before reuse.

Author: Jacqui Aylan-Parker Rev. 1 Last review 22/03/2022



OTHER HAZARDS WHICH DO NOT RESULT IN CLASSIFICATION

The dust associated with quarry products may contain respirable quartz (crystalline silica).

The dust in or on the supplied product or created when the product is processed, abraded, or crushed is therefore classified as Hazardous according to the Australian criteria for the classification of chemicals.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS			
IDENTITY OF CHEMICAL INGREDIENTS	CAS NUMBER	CONCENTRATION OF INGREDIENTS	COMMENTS
Respirable Quartz (Crystalline Silica)	14808-60-7	25 - 70%	The respirable quartz (crystalline silica) content may vary depending upon the source material.

SECTION 4	SECTION 4: FIRST AID MEASURES			
ROUTE OF EXPOSURE	DESCRIPTION OF NECESSARY FIRST AID MEASURE	SYMPTOMS CAUSED BY EXPOSURE	MEDICAL ATTENTION AND SPECIAL TREATMENT	
Ingestion	Rinse mouth and lips with water. Do NOT induce vomiting.	Dryness and/or abrasion of mouth and throat.	If symptoms persist, seek medical attention.	
Eye Contact	Flush thoroughly with flowing water to remove all traces. Do NOT attempt to remove solid particles embedded in the eye.	Redness and/or watering of eyes. Aggravation of existing eye condition.	If symptoms persist, seek medical attention.	
Skin Contact	Removal of heavily contaminated clothing from the individual is recommended. Wash off skin thoroughly with water.	Redness and/or dryness of skin. Aggravation of existing skin condition.	If symptoms persist, seek medical attention.	
Inhalation	Movement of the exposed individual to fresh air is recommended.	Shortness of breath coughing and/or sneezing. Aggravation of existing respiratory condition.	If symptoms persist, seek medical attention.	

SECTION 5: FIRE FIGHTING MEASURES		
Suitable Extinguishing Media	No specific extinguishing media is necessary.	
Specific Hazards Arising from the Chemical	Non-flammable.	
Special Protective Precautions and Equipment for Firefighters	No specific firefighting protection is required.	
Hazchem Code	None Allocated.	



SECTION 6: ACCIDENTAL RELEASE MEASURES			
Personal Precautions, Protective Equipment and Emergency Procedures	Avoid airborne dust generation. Wear personal protective equipment (PPE) as detailed in Section 8 - <i>Exposure Controls and Personal Protection</i> of the SDS. Contact emergency services where necessary.		
Environmental Precautions	No special requirements.		
Methods and Materials for Containment and Cleaning Up	When transporting by road, all loads should be covered. Spilled material should be wet down with water to reduce dust generation before clean up. Where spilled material cannot be wet down with water to reduce dust generation, an approved vacuum device should be used.		
	Recommended clean up procedures should also take into account disposal considerations under Section 13 – <i>Disposal Considerations</i> of the SDS.		

SECTION 7: HANDLING AND STORAGE			
Precautions for Safe Handling	Precautions for Safe Handling – General - Avoid inhalation of dust. If inhalation of dust cannot be avoided wear personal protective equipment (PPE) as listed in Section 8 – Exposure Controls / Personal Protection of the SDS. Precautions for Safe Handling during Repairs / Maintenance - Avoid breathing dust. Where possible vacuum or wash down all plant and equipment prior to maintenance and repair work. If compressed air cleaning cannot be avoided wear personal protective equipment (PPE) as listed in Section 8 – Exposure Controls / Personal Protection of the SDS.		
Conditions for Safe Storage, Including Any Incompatibilities	Stockpiles to be no steeper than the natural angle of repose and are to be supressed with a dust suppressant or by wetting down or covered on windy days. There are no incompatibilities.		

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE CONTROLS		
Appropriate Engineering Controls	 Where an inhalation risk exists: make product damp before use; use in a well ventilated area; and/or use mechanical ventilation or extraction. If generated dust cannot be avoided, follow personal protective equipment (PPE) recommendations. 	
Personal Protective Equipment (PPE)	Personal protective equipment (PPE) should be used only when other control measures have been found to be impracticable or in conjunction with one or more control measures. Eye and face protection	
	Safety glasses with side shields or safety goggles to be worn. Refer to AS/NZ 1336). Skin protection Long sleeves, long pants, boots and gloves to be worn. Refer to AS/NZ 2161. Respiratory protection Dust mask or half face respirator to be worn in dusty conditions. Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use, storage and maintenance.	



SECTION 9: PHYSIC	AL AND CHEMICAL PROPERTIES
Appearance	Solid (colour, shape and texture depends upon source of raw material)
Odour	Odourless
Odour Threshold	Not Relevant.
рН	3 - 10
Melting Point/Freezing point	Not Determined
Boiling Point and Boiling Range	Not Determined
Vapour Pressure	Not Determined
Density	2.2 – 2.9 t/m³
Flash Point	Not Determined
Evaporation Rate	Not Determined
Flammability	Non Flammable
Solubility	Insoluble
Particle Size	A proportion of the dust may be respirable if it becomes airborne constituting an exposure if inhaled.

SECTION 10: STABILITY AND REACTIVITY		
Reactivity	None.	
Chemical Stability	Stable.	
Conditions to Avoid	Dust generation.	
Incompatible Materials and Possibility of Hazardous Reactions	None.	

SECTION 11: TOXIC	OLOGICAL INFORMATION	
Information on Routes of	Ingestion - Dryness and/or abrasion of mouth and thro	
Exposure	Eye Contact - Redness and/or watering of eyes. Aggravation of existing eye condition.	
	Skin Contact - Redness and/or dryness of skin. Aggravation of existing skin condition.	
	Inhalation - Shortness of breath coughing and/or sneezing. Aggravation of existing respiratory condition.	
Immediate, Delayed and Chronic Health Effects	The International Agency for Research on Cancer (IAF crystalline silica as 'Carcinogenic to humans' (Group 1	•
from Exposure	Immediate Health Effects	
	Delayed Health Effects	
	Acute / Chronic Health Effects	
	ACUTE HEALTH EFFECTS	
	CHRONIC HEALTH EFFECTS	
	Eyes - Dust may cause irritation and inflammation of the eyes and aggravate pre- existing eye conditions.	
Author: Jacqui Aylan-Parker	Rev. 1	Last review 22/03/2022
SDS-01 - OLIARRY	Printed copies of this document are uncontrolled	Next review 22/03/2024



Immediate, Delayed and Chronic Health Effects from Exposure, Cont.	Skin - Repeated heavy contact may cause drying of the skin and may result in dermatitis typically affecting the hands. Over time, this may become chronic and become infected.
	Inhaled - Repeated exposure to dust may result in increased nasal and respiratory secretions and coughing. Inflammation of lining tissue of the respiratory system may follow repeated exposure to high levels of dust with increased risk of bronchitis and pneumonia.
	Long term, occupational over-exposure or prolonged inhalation of crystalline silica dust at levels above the ES carries the risk of causing serious and irreversible lung disease, including bronchitis and silicosis (scarring of the lung).
	It may also increase the risk of other irreversible and serious disorders including scleroderma (a disease affecting the skin, joints, blood vessels and internal organs) and other auto-immune disorders.
Exposure Levels	Safe Work Australia Workplace Exposure Standards for Airborne Contaminants, as respirable dust, for Crystalline silica (quartz) is 0.05 mg/m3, eight-hour time weighted average TWA.
Interactive Effects	It is considered by medical authorities that exposure to the Airborne Contaminants will increase the risk of lung disease due to tobacco smoking.
	Any pre-existing medical conditions may increase risk, for example, asthma, high blood pressure or a predisposition to allergic reactions.

SECTION 12: ECOLOGICAL INFORMATION		
Eco-toxicity	Not Relevant.	
Persistence and Degradability	Not Relevant.	
Bio-accumulative Potential	Not Relevant.	
Mobility in Soil	None.	
Other Adverse Effects	No specific adverse effects known.	

SECTION 13: DISPOSAL CONSIDERATIONS		
Safe Handling and Disposal Methods	Avoid inhalation of dust. If inhalation of dust cannot be avoided, wear personal protective equipment (PPE) as listed in Section 8 – Exposure Controls / Personal Protection of the SDS.	
	Crystalline silica itself in all common forms can be treated as a common waste for disposal. Taken or dumped into a landfill site in accordance with local authority guidelines.	
	Measures should be taken to prevent dust generation during disposal and personal precautions should be observed (see above).	
Environment Regulations	Dispose of waste quarry materials in accordance with local authority.	



SECTION 14: TRANSPORT INFORMATION		
UN Number	None Allocated	
Proper Shipping Name	None Allocated	
Transport Hazard Class	None Allocated	
Packing Group	None Allocated	
Environmental Hazards	None Allocated	
Special Precautions During Transport	None Allocated	
Hazchem Code	None Allocated	

SECTION 15: REGULATORY INFORMATION		
Safety, Health and Environmental Regulations Specific for the Product in Question	Crystalline silica is classified as non-Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by road and Rail. Crystalline silica in the form of respirable dust is classified as Hazardous according to the Australian Safety and Compensation Commission ASCC (formerly NOHSV) Approved Criteria for Classifying Hazardous Substances [NOHSC:1008] 3rd Edition. Persons who have potential for exposure above the ES may be required to have periodic health surveillance including Chest X-ray (see relevant State Government Regulations and ASCC/NOHSC documentation). Exposures by inhalation to high levels of dust may be regulated under the Hazardous Substances Regulations (state) as they are applicable to Respirable Crystalline Silica, requiring exposure assessment, controls and health surveillance (ASCC/NOHSC).	
Poisons Schedule Number	None Allocated.	

SECTION 16: OTHER INFORMATION		
Contact	For further information, please contact the Quarry Manager from the relevant site.	
Lima South Quarry	Yarck Quarry	
184 Williams Road	Parsons Road	
Lima South	Yarck	
03 5768 2366	03 5768 2366	

This SDS is issued by Lima South Quarry in accordance with Safe Work Australia guidelines. Lima South Quarry will issue a new SDS when there is a change in product specification and or Safe Work Australia guidelines. The information in it must not be altered, deleted or added to. Lima South Quarry will not accept any responsibility for any changes made to its SDS by any other person or organisation.

Whilst the information contained in this document is based on data which, to the best of our knowledge, was accurate and reliable at the time of preparation, no responsibility can be accepted by us for errors and omissions. The provision of this information should not be construed as a recommendation to use any of our products in violation of any patent rights or in breach of any statute or regulation. Users are advised to make their own determination as to the suitability of this information in relation to their particular purposes and specific circumstances. Since the information contained in this document may be applied under conditions beyond our control, no responsibility can be accepted by us for any loss or damage caused by any person acting or refraining from action as a result of this information.

END OF SDS